L Number	Hits	Search Text	DB	Time stamp
3	4	tokico.asn. and pad with wear with piston same limiter same spring same brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:18
4	1	"20030066719" and fail$4 same (spring or resilient)	US-PGPUB	2004/09/07 10:52
5	8	("5148894"|"5954162"|"6173820"|"6267207"|"6305511"|"6315092"|"6516426270").PN.	USPAT; US-PGPUB	2004/09/07 10:51
6	1	"20030066719" and fail$4 same (spring or resilient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:52
-	2	6179097.pn. or 6257377.pn.	USPAT; US-PGPUB	2004/04/09 06:20
-	0	wo0060255	USPAT; US-PGPUB	2004/04/09 06:20
-	15	brake$ same motor same caliper same fail$4	EPO; JPO; DERWENT	2004/04/09 08:07
-	35	brake$ same motor same caliper same fail$4	USPAT; US-PGPUB	2004/04/09 06:56
-	3	brake$ same motor same caliper same fail$4 and fail$4 with spring	EPO; JPO; DERWENT	2004/04/09 06:57
-	14	brake$ same motor same caliper same fail$4 and fail$4 with spring	USPAT; US-PGPUB	2004/04/09 06:59
-	1	brake$ same (electromagnet$4 or motor) and fail$4 and fail$4 with spring with rotary adj actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:01
-	1	brake$ same (electromagnet$4 or motor) and fail$4 with spring with rotary adj actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	1885	brake$ same (electromagnet$4 or motor) same caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:26
-	0	(brake$ same (electromagnet$4 or motor) same caliper) and torsion with spring with fail$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:02
-	26	(brake$ same (electromagnet$4 or motor) same caliper) and torsion with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:03
-	12326	brake$ same (electromagnet$4 or motor) same releas$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	8048	brake$ same (electromagnet$4 or motor) same releas$4 near3 brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	5294	brake$ with (electromagnet$4 or motor) with releas$4 near3 brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:05
-	175	brake$ with (electromagnet$4 or motor) with releas$4 near3 brak$4 with fail$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:06
-	4	brake$ with (electromagnet$4 or motor) with releas$4 near3 brak$4 with fail$4 with spring with (torsion or torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:06
-	4	brake$ with (electromagnet$4 or motor) with releas$4 near3 brak$4 with fail$4 with caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:18

-	17	("1501677" | "3984083" | "4020923" | "4328871" | "4371058" | "4390161" | "4581987" | "4595081" | "4760895" | "4871033" | "5346045" | "5572505" | "5986369" | "6325182" | "6340077" | "6349801" | "6471017").PN.	USPAT	2004/04/09 07:16
-	188	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	320	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5 or adjuster)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	0	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5 or adjuster) with limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	19	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5 or adjuster) with limit$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:24
-	19	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5 or adjuster) with caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	2	brake$ with (electromagnet$4 or motor or motordriven) with (automatic adj adjust$4 or wear adj compensat$ or wear adj adjust$4 or slack adj adjust$5 or adjuster) with caliper with (torque or torsion)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	33	Usui.in. and caliper same brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:27
-	9	(US-6571921-$ or US-6349801-$ or US-6257377-$ or US-5829557-$ or US-5496102-$).did. or (US-20030066719-$ or US-20020023806-$ or US-20040035655-$).did. or (US-20030136616-$).did.	USPAT; US-PGPUB; DERWENT	2004/04/09 07:30
-	3	(("6571921") or ("6491140") or ("6374958")).PN.	USPAT; US-PGPUB	2004/04/09 07:32
-	2	(US-6491140-$ or US-6374958-$).did.	USPAT	2004/04/09 07:40
-	0	("tokio.asn.andcaliperwithbrak$").PN.	USPAT; US-PGPUB	2004/04/09 07:43
-	0	tokio.asn. and caliper with brak$	USPAT; US-PGPUB	2004/09/07 08:08
-	88	tokico.asn. and caliper with brak$	USPAT; US-PGPUB	2004/04/09 07:45
-	279	tokico.asn. and caliper with brak$	EPO; JPO; DERWENT	2004/04/09 07:46
-	44	tokico.asn. and caliper with brak$ with (motor or motordriven or electromagnet$)	EPO; JPO; DERWENT	2004/04/09 07:46
-	3	tokico.asn. and caliper with brak$ with (motor or motordriven or electromagnet$) with (spring or wear or fail$4 or defect$4)	EPO; JPO; DERWENT	2004/04/09 07:50

| - | 147 | ("5394699" "5462137" "5689994" "6030054" "6095298" "6142030" "6370975" "6481805" "6059379" "6059379" "5306989" "5406180" "5636444" "5855255" "5873434" "6431317" "4574924" "4604915" "5467597" "6030194" "6357558" "6405835" "6571921" "6059076" "6059076" "4006802" "4267903" "5388669" "5614778" "6056090" "6098762" "5975250" "5826683" "5823053" "4339984" "4928797" "5496102" "5826952" "6230492" "4381047" "4621833" "4922121" "5020322" "5022367" "5239897" "5586623" "5716111" "5931268" "5957246" "6164183").pn. ("6334371" "4865163" "4338787" "4384458" "4461371" "4546860" "4881623" "5348122" "5622142" "5850810" "6125819" "4926977" "4300082" "4614380" "4569234" "5195697" "5305966" "5360175" "4079845" "4301483" "4318465" "4403745" | USPAT; US-PGPUB | 2004/04/09 07:56 |

| - | 32 | (("5394699"
"5462137"
"5689994"
"6030054"
"6095298"
"6142030"
"6370975"
"6481805"
"6059379"
"6059379"
"5306989"
"5406180"
"5636444"
"5855255"
"5873434"
"6431317"
"4574924"
"4604915"
"5467597"
"6030194"
"6357558"
"6405835"
"6571921"
"6059076"
"6059076"
"4006802"
"4267903"
"5388669"
"5614778"
"6056090"
"6098762"
"5975250"
"5826683"
"5823053"
"4339984"
"4928797"
"5496102"
"5826952"
"6230492"
"4381047"
"4621833"
"4922121"
"5020322"
"5022367"
"5239897"
"5586623"
"5716111"
"5931268"
"5957246"
"6164183").pn.
("6334371"
"4865163"
"4338787"
"4384458"
"4461371"
"4546860"
"4881623"
"5348122"
"5622142"
"5850810"
"6125819"
"4926977"
"4300082"
"4614380"
"4569234"
"5195697"
"5305966"
"5360175" | USPAT;
US-PGPUB | 2004/04/09 08:02 |

"4401483"
"4318465"
"4403745"

-		1	("6491140").PN.	USPAT; US-PGPUB	2004/04/09 08:02
-		3	("5971110" | "6279691" | "6325182").PN.	USPAT	2004/04/09 08:02
-		1	"20030066719"	US-PGPUB	2004/04/09 08:41
-		1	"20030066719" and fail$4	US-PGPUB	2004/04/09 08:10
-		0	"20040035655" and fail$4	US-PGPUB	2004/04/09 08:16
-		1	"20040035655"	US-PGPUB	2004/04/09 08:26
-		2	"2003113877"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:39
-		0	US006491140B2	USPAT; US-PGPUB	2004/04/09 08:33
-		2	(("6491140") or ("6374958")).PN.	USPAT; US-PGPUB	2004/04/09 08:33
-		1	("20030066719" and fail$4) and fail$4	USPAT; US-PGPUB	2004/04/09 08:37
-		0	("20030066719" and fail$4) and fail$4 with wear	USPAT; US-PGPUB	2004/04/09 08:37
-		0	("20030066719" and fail$4) and fail$4 with adjust$4	USPAT; US-PGPUB	2004/04/09 08:37
-		0	("20030066719" and fail$4) and fail$4 with rotary	USPAT; US-PGPUB	2004/04/09 08:38
-		0	("20030066719" and fail$4) and fail$4 with convert$4	USPAT; US-PGPUB	2004/04/09 08:38
-		1	"2003113877" and limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:40
-		1	"2003113877" and limiter same (spring or resilient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:41
-		1	"20030066719" and limiter same (spring or resilient)	US-PGPUB	2004/04/09 08:43
-		0	"20030066719" and limiter same (spring or resilient) same store	US-PGPUB	2004/04/09 08:42
-		0	"20030066719" and limiter same (spring or resilient) same torque	US-PGPUB	2004/04/09 08:42
-		1	"20030066719" and fail$4 same (spring or resilient)	US-PGPUB	2004/09/07 10:43
-		0	6491140.pn. and fail$4 same (spring or resilient)	USPAT; US-PGPUB	2004/04/09 08:50
-		0	6491140.pn	USPAT; US-PGPUB	2004/04/09 08:50
-		1	6491140.pn.	USPAT; US-PGPUB	2004/04/09 08:50
-		0	6491140.pn. . and fail$4 same (spring or resilient)	USPAT; US-PGPUB	2004/04/09 08:50
-		0	6491140.pn. . and fail$4	USPAT; US-PGPUB	2004/04/09 08:50
-		0	6491140.pn. . and defect$4	USPAT; US-PGPUB	2004/04/09 08:51
-		0	6679356.pn. . and defect$4	USPAT; US-PGPUB	2004/04/09 08:51
-		1	6679356.pn. . and fail$4	USPAT; US-PGPUB	2004/04/09 08:51
-		1	6679356.pn. . and fail$4 with spring	USPAT; US-PGPUB	2004/04/09 08:52
-		0	6374958.pn. and fail$4 with spring	USPAT; US-PGPUB	2004/04/09 08:53
-		1	6374958.pn.	USPAT; US-PGPUB	2004/04/09 08:53
-		4	tokio.asn. and usui.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:09
-		44	tokico.asn. and usui.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:11

-		8	tokico.asn. and usui.in. and pad with wear	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:13
-		0	tokico.asn. and usui.in. and pad with wear with piston with play	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:13
-		7	tokico.asn. and usui.in. and pad with wear with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:19
-		4	tokico.asn. and usui.in. and pad with wear with piston and coil adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:15
-		5	tokico.asn. and usui.in. and pad with wear with piston same limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:24
-		4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:25
-		4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:57
-		4	tokico.asn. and pad with wear with piston same limiter and limiter with spring same brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:58
-		4	tokico.asn. and pad with wear with piston same limiter same spring same brak$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:18